

RAG 140/175/280/320

AirSeal® Grommet

Rhino AirSeal® grommet is an airflow management to prevent cold and hot air mixing in a data center, and increase a data center's energy efficiency while increasing its cooling capacity. The Rhino AirSeal® grommet designed to seal access floor holes required for cable routing through the data center raised access floors, these products significantly minimize cool air loss, while improving the static pressure to effectively cool data center equipment, which helps prevent expensive electrical equipment from overheating.



Product Ranges

AirSeal® Grommet



Description

Rhino AirSeal® grommet is an airflow management to prevent cold and hot air mixing in a data center, and increase a data center's energy efficiency while increasing its cooling capacity. The Rhino AirSeal® grommet designed to seal access floor holes required for cable routing through the data center raised access floors, these products significantly minimize cool air loss, while improving the static pressure to effectively cool data center equipment, which helps prevent expensive electrical equipment from overheating.



AirSeal® Round



RAG-140

Cover size:
Ø145mm
Body size:
Ø100mm
Access floor open size:
Ø105mm

Together the brushes and rubber gasket work in tandem to hold cables in the center of the cutout while limiting the passage of contaminants under the floor. The dual stage sealing system provides a superior seal to prevent airflow bypass, reduce energy consumption, and aid in the implementation of hot/cold aisle containment or floor configurations.

AirSeal® Square



RAG-175

Cover size: 175mm × 175mm Body size: 134mm × 134mm Access floor open size: 135mm × 135mm The RAG-175 is a square design of heavy duty air seal grommet for raised floor cutouts prior to installation of communications or power cabling. ABS polycarbonate material made provides a finished look on all raised floor panels. Solid construction and the textured surface compliment all floor coverings.

AirSeal® Retangular



RAG-280

Cover size:
280mm × 210mm
Body size:
235mm × 165mm
Access floor open size:
237mm × 167mm

The RAG-280 rectangular designed to accommodate either single cables or large bundles of cables through the same opening, providing flexibility for future wiring needs. ABS polycarbonate material made provides a finished look on all raised floor panels. Solid construction and the textured surface compliment all floor coverings.

AirSeal® Ultra



RAG-320

Cover size:
320mm × 270mm
Body size:
265mm × 227mm
Access floor open size:
270mm × 230mm

The RAG-320 Ultra designed to accommodate large bundles of cables through the same opening, providing flexibility for future wiring needs. ABS polycarbonate material made provides a finished look on all raised floor panels. Solid construction and the textured surface compliment all floor coverings.



China Office

593, Tongjiang Road Jintian Plaza 828-830 Changzhou 213022 Jiangsu, China T/ (86) 519 8988 3171 F/ (86) 519 8988 3901

Strive for perfection!

Bangkok Office

32 Soi Sukhumvit 36 (Napasub) Sukhumvit Road, Klongton Klongtoey, Bangkok 10110 Thailand T/ (662) 661 2990 F/ (662) 661 2991

Hong Kong Office

7/F, Spa Centre
No. 53-55 Lockhart Road
Wai Chai
Hong Kong
T/ (852) 2793 5511
F/ (852) 3590 2333

Production Unit

Hengshanqiao Wujin District Changzhou 213119 Jiangsu, China T/ (86) 519 8860 7959 F/ (86) 519 8860 5659

www.RhinoAccessFloors.com