

# RFB 130/230/250/137

Floor Box

Rhino stainless steel floor box is a cable management system designed specifically for the distribution of power, voice and data service to meet the requirements of raised access flooring environments. The system is economical, relocatable, easily installed and highly flexible thus providing good solution to meet every requirement demand by building owners, architects and consultants involving in providing a highly efficient and easily managed system for both new buildings and buildings under refurbishing.



## **Product Ranges**

#### Floor Box



#### Description

Rhino stainless steel floor box is a cable management system designed specifically for the distribution of power, voice and data service to meet the requirements of raised access flooring environments. The system is economical, relocatable, easily installed and highly flexible thus providing good solution to meet every requirement demand by building owners, architects and consultants involving in providing a highly efficient and easily managed system for both new buildings and buildings under refurbishing.



#### **Features**

The Rhino access floor boxes, incorporating the advantages of the latest in access floor box design, are manufactured within a BS. 5750 quality environment to meet the PSA specification for raised access floors MOB-08-801.

- Stainless steel lid, shine and beautiful, anti-corrosion and rust free.
- · Straight edges to butt join with flooring.
- Stainless steel hinged cover (4mm thick) with 10mm deep rebate for floor covering infill.
- 2 x cord outlet flaps fold down when in use to allow cords to exit with main cover closed.
- · Steel box body has knockouts in each side accept both 20mm and 25mm diameter flexible conduits.
- Unique design of access floor locking device.
- 75mm overall depth of box from top of access floor allows installation in most situations.



#### **RFB-130**

Cover size:
130mm × 130mm
Body size:
112mm × 112mm
Access floor open size:
117mm × 117mm

The RFB-130 features a stainless steel cover. This model has beveled edges to allow the cover to conceal the cut edge of the carpet or flooring below. The solid stainless steel cover is useful for installations where the flooring material is not suitable for use in rebated cover. One cord outlet port folds into the box to allow cables to exit when in use.



## RFB-230

Cover size:
230mm × 130mm
Body size:
210mm × 110mm
Access floor open size:
215mm × 115mm

The RFB-230 features a stainless steel cover. This model has beveled edges to allow the cover to conceal the cut edge of the carpet or flooring below. The solid stainless steel cover is useful for installations where the flooring material is not suitable for use in rebated cover. Two cord outlet ports fold into the box to allow cables to exit when in use.



#### RFB-250

Cover size:
250mm × 220mm
Body size:
230mm × 200mm
Access floor open size:
235mm × 205mm

The RFB-250 Floor Box features a solid, 4mm thick stainless steel lid. This box has straight edges to allow the stainless steel lid to butt join the flooring. Suitable for use with polished timber flooring, carpet tiles, stone and vinyl floor coverings. The 10mm deep rebate allows floor covering to be inserted into the lid. Two wide cable exit ports fold down when in use to allow cables to exit the floor box. When not in sue the cable exit ports finish flush with the level of the cover.



#### **RFG-137**

Cover size:
Ø137mm
Body size:
Ø125mm
Access floor open size:
Ø127mm

The RFG-137 floor access grommet made of durable ABS plastic, designed specifically for grommets to enable floor access for runs from below. Available in two distinguished hues of black and white, the grommet is smooth and will incorporate easily with any flooring Installation will be quick with the small hole-cut size Grommet remains low profile, regardless of its placement Rotating lid prevents heels or items from snagging or falling through the hole itself.



### China Office

593, Tongjiang Road Jintian Plaza 828-830 Changzhou 213022 Jiangsu, China T/ (86) 519 8988 3171 F/ (86) 519 8988 3901

Strive for perfection!

## Bangkok Office

32 Soi Sukhumvit 36 (Napasub) Sukhumvit Road, Klongton Klongtoey, Bangkok 10110 Thailand T/ (662) 661 2990 F/ (662) 661 2991

## **Hong Kong Office**

7/F, Spa Centre
No. 53-55 Lockhart Road
Wai Chai
Hong Kong
T/ (852) 2793 5511
F/ (852) 3590 2333

## **Production Unit**

Hengshanqiao Wujin District Changzhou 213119 Jiangsu, China T/ (86) 519 8860 7959 F/ (86) 519 8860 5659

www.RhinoAccessFloors.com